



Cable Gland Brass IP68 UNI Dicht Metric

Specification

MATERIAL	Brass nickel plated (CuZn39Pb3)
SEALING RING	TPE
O-RING	NBR
INGRESS PROTECTION	IP68 up to 10 bar
TEMPERATURE RANGE	-40°C....+130°C
COLOUR	Brass nickel plated
HALOGEN-FREE	Yes

Variants

E-NUMBER	ARTICLE NO.	CONNECTION THREAD	FOR CABLE Ø MM	L MM	H MM	SW1 MM	SW2 MM	E1 MM	E2 MM	PCS/PACK
-	204D1,6	M4x0,7	0,9 - 1,6	2,7	11,5	6	6	6,8	6,8	50
-	206D3	M6x0,8	2,5 - 3,0	4,5	18,5	8	8	9	9	50
-	208210D4,5	M8x1,0	3,0 - 4,5	6,5	22	11	11	12,2	12,2	50
-	21049D7/1mm	M10x1,0	4,0 - 6,5	5	24,5	14	14	15,5	15,5	50
N9420731	21049D7/1,5MM	M10x1,5	4,0 - 6,5	5	24,5	14	14	15,5	15,5	50
N1470205	21249D7	M12x1,5	4,0 - 6,5	5	24	14	14	15,5	15,5	50
-	21250D8	M12x1,5	5,0 - 8,0	5	26	17	17	18,9	18,9	50

N9420732	21250D9	M12x1,5	6,5 - 9,5	5	26	17	17	18,9	18,9	50
N1470210	21650D7	M16x1,5	4,0 - 6,5	6	26	18	17	20	18,9	50
N1470212	21650D8	M16x1,5	5,0 - 8,0	6	26	18	17	20	18,9	50
N1470214	21650D9	M16x1,5	6,5 - 9,5	6	26	18	17	20	18,9	50
N9420733	21651D11	M16x1,5	7,0 - 10,5	6	27	20	20	22,2	22,2	50
N9420734	21652D13	M16x1,5	9,0 - 13,0	6	27	22	22	24,4	24,4	50
N9420735	22052D7	M20x1,5	4,0 - 6,5	6,5	27,5	22	22	24,4	24,4	50
N9420736	22052D8	M20x1,5	5,0 - 8,0	6,5	27,5	22	22	24,4	24,4	50
N1470225	22052D9	M20x1,5	6,5 - 9,5	6,5	27,5	22	22	24,4	24,4	50
N1470226	22052D11	M20x1,5	7,0 - 10,5	6,5	27,5	22	22	24,4	24,4	50
N1470227	22052D13	M20x1,5	9,0 - 13,0	6,5	27,5	22	22	24,4	24,4	50
N9420737	22053D16	M20x1,5	11,5 - 15,5	6,5	27,5	24	24	26,7	26,7	50
N9420738	22054D18	M20x1,5	14,0 - 18,0	6,5	30,5	30	30	33,5	33,5	25
N9420739	22054D20	M20x1,5	17,0 - 20,5	6,5	30,5	30	30	33,5	33,5	25
N1470230	22553D7	M25x1,5	4,0 - 6,5	7,5	28,5	28	24	31,2	26,7	50
N1470231	22553D8	M25x1,5	5,0 - 8,0	7,5	28,5	28	24	31,2	26,7	50
N1470232	22553D9	M25x1,5	6,5 - 9,5	7,5	28,5	28	24	31,2	26,7	50
N1470233	22553D11	M25x1,5	7,0 - 10,5	7,5	28,5	28	24	31,2	26,7	50
N1470234	22553D13	M25x1,5	9,0 - 13,0	7,5	28,5	28	24	31,2	26,7	50
N1470235	22553D16	M25x1,5	11,5 - 15,5	7,5	28,5	28	24	31,2	26,7	50
N9420740	22554D18	M25x1,5	14,0 - 18,0	7,5	33,5	30	30	33,5	33,5	25
N9420741	22554D20	M25x1,5	17,0 - 20,5	7,5	33,5	30	30	33,5	33,5	25
N1470240	23245D11	M32x1,5	7,0 - 10,5	8	34	35	30	38,5	33,5	25
N1470241	23254D13	M32x1,5	9,0 - 13,0	8	34	35	30	38,5	33,5	25
N1470242	23254D16	M32x1,5	11,5 - 15,5	8	34	35	30	38,5	33,5	25
N1470243	23254D18	M32x1,5	14,0 - 18,0	8	34	35	30	38,5	33,5	25
N1470244	23254D20	M32x1,5	17,0 - 20,5	8	34	35	30	38,5	33,5	25
N9420742	23255D25	M32x1,5	20,0 - 25,0	8	37	40	40	43,5	43,5	10
N9420743	23255D28	M32x1,5	24,0 - 28,0	8	37	40	40	43,5	43,5	10
N9420744	23256D32	M32x1,5	27,0 - 32,0	8	36	50	50	54	54	5
N9420745	23256D34	M32x1,5	29,0 - 34,0	8	36	50	50	54	54	5
N9420746	23256D36	M32x1,5	32,0 - 36,0	8	36	50	50	54	54	5
N1470250	24055D16	M40x1,5	11,5 - 15,5	8	37	43	40	47,3	43,5	10
N1470251	24055D18	M40x1,5	14,0 - 18,0	8	37	43	40	47,3	43,5	10
N1470252	24055D20	M40x1,5	17,0 - 20,5	8	37	43	40	47,3	43,5	10
N1470253	24055D25	M40x1,5	20,0 - 25,0	8	37	43	40	47,3	43,5	10
N1470254	24055D28	M40x1,5	24,0 - 28,0	8	37	43	40	47,3	43,5	10

N9420747	24056D32	M40x1,5	27,0 - 32,0	9	37	50	50	54	54	10
N9420748	24056D34	M40x1,5	29,0 - 34,0	9	37	50	50	54	54	10
N9420749	24056D36	M40x1,5	32,0 - 36,0	9	37	50	50	54	54	10
N1470260	25056D32	M50x1,5	27,0 - 32,0	10	40	54	50	58	54	5
N1470261	25056D34	M50x1,5	29,0 - 34,0	10	40	54	50	58	54	5
N1470262	25056D36	M50x1,5	32,0 - 36,0	10	40	54	50	58	54	5
-	25057D38	M50x1,5	33,0 - 38,0	10	42	57	57	61	61	5
N1470263	25057D40	M50x1,5	36,0 - 40,0	10	42	57	57	61	61	5
N1470270	26358D44	M63x1,5	39,0 - 44,0	10	40	68	64	74	69	5
N9406870	2637545	M63x1,5	40,0 - 45,0	16	71	81	81	87	87	1
N9406871	2637551	M63x1,5	45,0 - 51,0	16	71	81	81	87	87	1
N9406872	2637556	M63x1,5	51,0 - 56,0	16	71	81	81	87	87	1
N9406874	2727545	M72x2,0	40,0 - 45,0	16	72	81	81	87	87	1
N9406875	2727551	M72x2,0	45,0 - 51,0	16	72	81	81	87	87	1
N9406876	2727556	M72x2,0	51,0 - 56,0	16	72	81	81	87	87	1
N9420750	275212D47	M75x1,5	42,0 - 47,0	15	61	81	81	87	87	1
N9420751	275212D52	M75x1,5	45,0 - 52,0	15	61	81	81	87	87	1
N9420752	275212D55	M75x1,5	51,0 - 55,0	15	61	81	81	87	87	1
N9420753	275212D58	M75x1,5	54,0 - 58,0	15	61	81	81	87	87	1
N9420754	280300D57	M80x2,0	50,0 - 57,0	15	76	95	95	102	102	1
N9420755	280300D64	M80x2,0	58,0 - 64,0	15	76	95	95	102	102	1
N9420756	280300D70	M80x2,0	63,0 - 70,0	15	76	95	95	102	102	1
-	290400D76	M90x2,0	69,0 - 76,0	20	72	120	120	128	128	1
-	290400D85	M90x2,0	75,0 - 85,0	20	82	120	120	128	128	1
-	2100400D76	M100x2,0	69,0 - 76,0	20	83	120	120	128	128	1
-	2100400D85	M100x2,0	70,0 - 85,0	20	83	120	120	128	128	1
-	2100400D90	M100x2,0	75,0 - 90,0	20	83	120	120	128	128	1
-	2120500D100	M120x2,0	90,0 - 100,0	30	100	145	145	155	155	1
-	2120500D110	M120x2,0	100,0 - 110,0	30	100	145	145	155	155	1