



## Cable Gland Polycarbonate IP68 UNI Dicht Metric

### Specification

<b>MATERIAL</b>	Polycarbonate V-0
<b>SEALING RING</b>	TPE
<b>INGRESS PROTECTION</b>	IP68 up to 10 bar
<b>TEMPERATURE RANGE</b>	-20°C...+100°C
<b>COLOUR</b>	Lightgrey RAL 7035
<b>TEST STANDARD</b>	EN 62444
<b>CERTIFICATIONS</b>	-
<b>HALOGEN-FREE</b>	Yes

### Variants

E-NUMBER	ARTICLE NO.	CONNECTION THREAD	FOR CABLE Ø MM	L MM	H MM	SW1 MM	SW2 MM	E1 MM	E2 MM	PCS/PACK
N9420401	21249PC7	M12x1,5	4,0 - 6,5	8	30	15	15	16.5	16.5	50
N9420402	21250PC7	M12x1,5	4,0 - 6,5	8	31	19	19	21.2	21.2	50
N9420403	21250PC8	M12x1,5	5,0 - 8,0	8	31	19	19	21.2	21.2	50
N9420404	21250PC9	M12x1,5	6,5 - 9,5	8	31	19	19	21.2	21.2	50
N1470012	21650PC8	M16x1,5	5,0 - 8,0	9	31	19	19	21	21	50
N1470010	21650PC7	M16x1,5	4,0 - 6,5	9	31	19	19	21	21	50
N1470014	21650PC9	M16x1,5	6,5 - 9,5	9	31	19	19	21	21	50

N9420405	21651PC7	M16x1,5	4,0 - 6,5	9	32	22	22	24,5	24,5	50
N9420406	21651PC8	M16x1,5	5,0 - 8,0	9	32	22	22	24,5	24,5	50
N9420407	21651PC9	M16x1,5	6,5 - 9,5	9	32	22	22	24,5	24,5	50
N9420408	21651PC11	M16x1,5	7,0 - 10,5	9	32	22	22	24,5	24,5	50
N1470020	22051PC7	M20x1,5	4,0 - 6,5	9	32	24	26,5	22	24,4	50
N1470021	22051PC8	M20x1,5	5,0 - 8,0	9	32	24	26,5	22	24,4	50
N1470022	22051PC9	M20x1,5	6,5 - 9,5	9	32	24	26,5	22	24,4	50
N1470023	22052PC7	M20x1,5	4,0 - 6,5	9	32	24	24	26,5	26,5	50
N1470024	22052PC8	M20x1,5	5,0 - 8,0	9	32	24	24	26,5	26,5	50
N1470025	22052PC9	M20x1,5	6,5 - 9,5	9	32	24	24	26,5	26,5	50
N1470026	22052PC11	M20x1,5	7,0 - 10,5	9	32	24	24	26,5	26,5	50
N1470027	22052PC13	M20x1,5	9,0 - 13,0	9	32	24	24	26,5	26,5	50
N9420409	22053PC11	M20x1,5	7,0 - 10,5	9	33	27	27	29,5	29,5	50
N9420410	22053PC13	M20x1,5	9,0 - 13,0	9	33	27	27	29,5	29,5	50
N9420411	22053PC16	M20x1,5	11,5 - 15,5	9	33	27	27	29,5	29,5	50
N1470030	22553PC7	M25x1,5	4,0 - 6,5	9	33	30	33,5	27	29,5	50
N1470031	22553PC8	M25x1,5	5,0 - 8,0	9	33	30	33,5	27	29,5	50
N1470032	22553PC9	M25x1,5	6,5 - 9,5	9	33	30	33,5	27	29,5	50
N1470033	22553PC11	M25x1,5	7,0 - 10,5	9	33	30	33,5	27	29,5	50
N1470034	22553PC13	M25x1,5	9,0 - 13,0	9	33	30	33,5	27	29,5	50
N1470035	22553PC16	M25x1,5	11,5 - 15,5	9	33	30	33,5	27	29,5	50
N9420412	22554PC13	M25x1,5	9,0 - 13,0	11	40	33	33	36,5	36,5	50
N9420413	22554PC16	M25x1,5	11,5 - 15,5	11	40	33	33	36,5	36,5	50
N9420414	22554PC18	M25x1,5	14,0 - 18,0	11	40	33	33	36,5	36,5	50
N9420415	22554PC20	M25x1,5	17,0 - 20,5	11	40	33	33	36,5	36,5	50
N9420416	23255PC16	M32x1,5	11,5 - 15,5	11	40	43	43	46	46	10
N9420418	23255PC20	M32x1,5	17,0 - 20,5	11	40	43	43	46	46	50
N9420419	23255PC25	M32x1,5	20,0 - 25,0	11	40	43	43	46	46	10
N9420420	23255PC28	M32x1,5	24,0 - 28,0	11	40	43	43	46	46	10
N1470040	23254PC11	M32x1,5	7,0 - 10,5	11	40	36	33	39,5	36,5	25
N1470041	23254PC13	M32x1,5	9,0 - 13,0	11	40	36	33	39,5	36,5	25
N1470042	23254PC16	M32x1,5	11,5 - 15,5	11	40	36	33	39,5	36,5	25
N1470043	23254PC18	M32x1,5	14,0 - 18,0	11	40	36	33	39,5	36,5	25
N1470044	23254PC20	M32x1,5	17,0 - 20,5	11	40	36	33	39,5	36,5	25
N1470050	24055PC16	M40x1,5	11,5 - 15,5	11,5	44,5	46	43	50	46,5	10
N1470051	24055PC18	M40x1,5	14,0 - 18,0	11,5	44,5	46	43	50	46,5	10
N1470052	24055PC20	M40x1,5	17,0 - 20,5	11,5	44,5	46	43	50	46,5	10
N1470053	24055PC25	M40x1,5	20,0 - 25,0	11,5	44,5	46	43	50	46,5	10
N1470054	24055PC28	M40x1,5	24,0 - 28,0	11,5	44,5	46	43	50	46,5	10
N1470060	25056PC32	M50x1,5	27,0 - 32,0	14	48	55	53	61	57	5

N1470062	25056PC36	M50x1,5	32,0 - 36,0	14	48	55	53	61	57	5
----------	-----------	---------	-------------	----	----	----	----	----	----	---