



## Cable Gland PVDF IP68 UNI Dicht Metric

\* Material POM (white colour), temperature range -40°C up to +110°C, no CSA approval

### Specification

<b>MATERIAL</b>	PVDF V-0
<b>SEALING RING</b>	TPE
<b>INGRESS PROTECTION</b>	IP68 up to 10 bar
<b>TEMPERATURE RANGE</b>	-40°C...+130°C
<b>COLOUR</b>	Transparent
<b>TEST STANDARD</b>	EN 50262

### Variants

E-NUMBER	ARTICLE NO.	CONNECTION THREAD	FOR CABLE Ø MM	L MM	H MM	SW1 MM	SW2 MM	E1 MM	E2 MM	PCS/PACK
1457200	21249Y7	M12x1,5	4,0 - 6,5	8	30	15	15	16,2	16,2	50
N1470310	21650Y7	M16x1,5	4,0 - 6,5	9	31	19	19	21	21	50
1457201	21650Y8	M16x1,5	5,0 - 8,0	9	31	19	19	21	21	50
N1470314	21650Y9	M16x1,5	6,5 - 9,5	8,5	31	19	19	21	21	50
1457202	21651Y11	M16x1,5	7,0 - 10,5	8,5	31,5	22	22	24,5	24,5	50
N9420603	21652Y11	M16x1,5	7,0 - 10,5	11	36	24	24	26,5	26,5	50
N9420604	21652Y13	M16x1,5	9,0 - 13,0	11	36	24	24	26,5	26,5	50
N1470320	22051Y7	M20x1,5	4,0 - 6,5	9	32	24	22	26,5	24,4	50
N1470323	22052Y7	M20x1,5	4,0 - 6,5	9	34	24	24	26,5	26,5	50

N1470321	22051Y8	M20x1,5	5,0 - 8,0	9	32	24	22	26.5	24.4	50
N1470324	22052Y8	M20x1,5	5,0 - 8,0	9	34	24	24	26.5	26.5	50
N1470322	22051Y9	M20x1,5	6,5 - 9,5	9	32	24	22	26.5	24.4	50
N1470325	22052Y9	M20x1,5	6,5 - 9,5	9	34	24	24	26.5	26.5	50
-	22051Y11	M20x1,5	7,0 - 10,5	9	32	24	22	26.5	24.4	50
1457203	22052Y11	M20x1,5	7,0 - 10,5	9	34	24	24	26.5	26.5	50
1457204	22052Y13	M20x1,5	9,0 - 13,0	9	34	24	24	26.5	26.5	50
1457205	22053Y16	M20x1,5	11,5 - 15,5	9	35	27	27	29.5	29.5	50
N9420606	22054Y16	M20x1,5	11,5 - 15,5	11	40	33	33	36.5	36.5	50
N9420607	22054Y18	M20x1,5	14,0 - 18,0	11	40	33	33	36.5	36.5	50
N9420608	22054Y20	M20x1,5	17,0 - 20,5	11	40	33	33	36.5	36.5	50
N1470330	22553Y7	M25x1,5	4,0 - 6,5	9	33	30	27	33.5	29.5	50
N1470331	22553Y8	M25x1,5	5,0 - 8,0	9	33	30	27	33.5	36.5	50
N1470332	22553Y9	M25x1,5	6,5 - 9,5	9	33	30	27	33.5	36.5	50
N1470333	22553Y11	M25x1,5	7,0 - 10,5	9	33	30	27	33.5	36.5	50
1457206	22553Y13	M25x1,5	9,0 - 13,0	9	33	30	27	33.5	36.5	50
1457207	22553Y16	M25x1,5	11,5 - 15,5	9	33	30	27	33.5	36.5	50
1457208	22554Y18	M25x1,5	14,0 - 18,0	11	40	33	33	36.5	36.5	25
N9420611	22555Y18	M25x1,5	14,0 - 18,0	11	44	43	43	46	46	25
N9420610	22554Y20	M25x1,5	17,0 - 20,5	11	40	33	33	36.5	36.5	25
N9420612	22555Y20	M25x1,5	17,0 - 20,5	11	44	43	43	46	46	25
N9420613	22555Y25	M25x1,5	20,0 - 25,0	11	44	43	43	46	46	25
N9420614	22555Y28	M25x1,5	24,0 - 28,0	11	44	43	43	46	46	25
N1470340	23254Y11	M32x1,5	7,0 - 10,5	11	40	38	33	42	36.5	25
N1470341	23254Y13	M32x1,5	9,0 - 13,0	11	40	38	33	42	36.5	25
N1470342	23254Y16	M32x1,5	11,5 - 15,5	11	40	38	33	42	36.5	25
1457209	23254Y18	M32x1,5	14,0 - 18,0	11	40	38	33	42	36.5	25
1457210	23254Y20	M32x1,5	17,0 - 20,5	11	40	38	33	42	36.5	25
1457211	23255Y25	M32x1,5	20,0 - 25,0	11	44	43	43	46	46	10
N9420616	23255Y28	M32x1,5	24,0 - 28,0	11	44	43	43	46	46	10
N1470350	24055Y16	M40x1,5	11,5 - 15,5	11.5	45,5	46	43	50	46	10
N1470351	24055Y18	M40x1,5	14,0 - 18,0	11.5	45,5	46	43	50	46	10
N1470352	24055Y20	M40x1,5	17,0 - 20,5	11.5	45,5	46	43	50	46	10
1457212	24055Y25	M40x1,5	20,0 - 25,0	11.5	45,5	46	43	50	46	10
1457213	24055Y28	M40x1,5	24,0 - 28,0	11.5	45,5	46	43	50	46	10
N9420617	24056Y32	M40x1,5	27,0 - 32,0	13	48	53	53	57	57	5
N9420618	24056Y34	M40x1,5	29,0 - 34,0	13	48	53	53	57	57	5
N9420619	24056Y36	M40x1,5	32,0 - 36,0	13	48	53	53	57	57	5
1457214	25056Y32*	M50x1,5	27,0 - 32,0	13	48	56	53	61	57	5
N9420620	25056Y34*	M50x1,5	29,0 - 34,0	13	48	56	53	61	57	5

1457215	25056Y36*	M50x1,5	32,0 - 36,0	13	48	56	53	61	57	5
1457216	25057Y40*	M50x1,5	36,0 - 40,0	14	52	60	60	65	65	5
1457217	26358Y44*	M63x1,5	39,0 - 44,0	14	55	68	65	73	70	5