



## CABseal genomföringar

### Grommets with sealing lips for cables from 3 mm to 33 mm

Assemble individually as you need it: With CABseal, all grommets can be freely positioned in the frames.

The integrated elastomer seal seals the frame reliably up to IP 66 – no other seals are required. This naturally applies to both single and multiple grommets.

#### Choose from a wide range of cable grommets

The ideal grommet for every cable diameter. The small GS grommets fit in one grommet field while the large GL grommets require four fields.

Grommets can be freely positioned in the frame, one large insert (GL) can be used instead of four small inserts (GS). See the positioning examples.

Choose from a wide range of cable grommets.

- Reliable sealing of cables with IP 66 protection
- Blind grommets and plugs also available
- Spring/groove contour of the cable grommet prevents incorrect assembly
- Flexible sealing lip geometry allows compensation of cable tolerances
- Strain relief can be positioned towards the inside or outside
- For cable cross-sections from 3 to 16 mm (GS) and from 16 to 33 mm (GL)
- Double/multiple-cable grommets from 4 to 8 mm (GS)

## Specification

<b>MATERIAL</b>	TPE (UL94: V0)
<b>INGRESS PROTECTION</b>	IP66 & UL Typ 4X (UL: indoor use only)
<b>TEMPERATURE RANGE</b>	-40°C...+100°C
<b>COLOUR</b>	Black

## Variants

ARTICLE NO.	SIZE	FOR CABLE Ø MM	PCS/PACK
CAB GS 0	GS	Blind	20
CAB GS 4	GS	1 x 3,0-4,0mm	20
CAB GS 5	GS	1 x 4,0-5,0mm	20
CAB GS 6	GS	1 x 5,0-6,0mm	20
CAB GS 7	GS	1 x 6,0-7,0mm	20
CAB GS 8	GS	1 x 7,0-8,0mm	20
CAB GS 9	GS	1 x 8,0-9,0mm	20
CAB GS 10	GS	1 x 9,0-10,0mm	20
CAB GS 11	GS	1 x 10,0-11,0mm	20
CAB GS 12	GS	1 x 11,0-12,0mm	20
CAB GS 13	GS	1 x 12,0-13,0mm	20
CAB GS 14	GS	1 x 13,0-14,0mm	20
CAB GS 15	GS	1 x 14,0-15,0mm	20
CAB GS 16	GS	1 x 15,0-16,0mm	20
CAB GL 17	GL	1 x 16,0-17,0mm	10
CAB GL 18	GL	1 x 17,0-18,0mm	10
CAB GL 19	GL	1 x 18,0-19,0mm	10
CAB GL 20	GL	1 x 19,0-20,0mm	10
CAB GL 21	GL	1 x 20,0-21,0mm	10
CAB GL 22	GL	1 x 21,0-22,0mm	10
CAB GL 23	GL	1 x 22,0-23,0mm	10
CAB GL 24	GL	1 x 23,0-24,0mm	10
CAB GL 25	GL	1 x 24,0-25,0mm	10
CAB GL 26	GL	1 x 25,0-26,0mm	10
CAB GL 27	GL	1 x 26,0-27,0mm	10
CAB GL 28	GL	1 x 27,0-28,0mm	10
CAB GL 29	GL	1 x 28,0-29,0mm	10

CAB GL 30	GL	1 x 29,0-30,0mm	10
CAB GL 31	GL	1 x 30,0-31,0mm	10
CAB GL 32	GL	1 x 31,0-32,0mm	10
CAB GL 33	GL	1 x 32,0-33,0mm	10
CAB GS 2/5	GS	2 x 4,0-5,0mm	20
CAB GS 4/5	GS	4 x 4,0-5,0mm	20
CAB GS 2/6	GS	2 x 5,0-6,0mm	20
CAB GS 4/6	GS	4 x 5,0-6,0mm	20
CAB GS 2/7	GS	2 x 6,0-7,0mm	20
CAB GS 2/8	GS	2 x 7,0-8,0mm	20